

P. W. (1942) Department.

148 SERIES.

G.O. No.

2125

Dated

25.5.42

[Despatch Abstract.]

ELECTRICITY - Bellary Electric licence - Booklet of conditions, Rates etc. - Part I - Condition 15 - Amendment - Approved.

CF. 32.

Local Administration

Department

Received

From (Name) Sri. M. Raghava Reddy, B.A.,

To The Secretary to the Government
of Madras,
The Public Works Department,
Madras.
Thro' Janab. D. Abdul Rawoof, Sahib Bahadur,
B.A., B.L., M.L.A., M.P.,
Chairman M.C., Bellary.

Designation Commissioner,
Bellary Municipality,
Station Bellary.

Enclosures:

R.C. No. E-2. 5027/41. dated 8th June 1942,

Sir,

Sub:- Electricity - Door lock cases - Debate
due to consumers.

The Electric Standing Committee in its resolution No. 3 dated 15-3-1942 has sanctioned the amendment to the present condition No. 15 in part I of the Booklet of conditions as per suggestions of the Chief Electrical Inspector to Government of Madras, contained in his circular No. 1152 dated 13-11-1941. A copy of the Electric Standing Committee resolution No. 3 dated 15-3-1942 and a copy of the amended condition are herewith enclosed. I request that the Government may kindly accord sanction for amending the condition referred to above.

skr/10.6.a.Exd:- 11/6

Commissioner.

Copy to the Chief Electrical Inspector to Government of Madras, with reference to his para 2 of his circular No. 1152 dated 13-11-1941.

Proceedings of the Electric Standing Committee dated 15-3-1942.

Read Circular No. 1152 dated 13-11-41 from the Chief Electrical Inspector to Government, asking the Commissioner, Municipal Council, Bellary to consider the suitability of amending condition No. 15 in part I of the Booklet of conditions as recommended by Government in third sub-para of G.O. No. Ls. 2597 P.W.D., dated 27-10-1941.

Read Municipal Electrical Engineer's note to the Council dated 15-1-1942 recommending to approve the change.

Res:- SANCTIONED BY ELECTRIC STANDING COMMITTEE by circulation.

D. Abdul Rawoof,
Chairman M.C.,

Extract of third sub-para of G.O. No. Ls. 2597 Public Works Department dated 27th October 1941.

AMENDED CONDITION.

When a consumer leaves his installation connected to the Licensee's mains, but locks up the meter or otherwise makes it inaccessible for reading by the licensee, for the first month of such inaccessibility the consumer will be charged the monthly minimum. If in the next month the meter is accessible for reading, the consumer will be charged the actual consumption less the above minimum, but subject to the monthly minimum. If on the other hand the meter remains inaccessible in the second month also the consumer will be served with a 24 hours' notice (section 20 Indian Electricity Act, 1910) to open his premises for the reading of the meter by the licensee at a fixed time and date; if the meter is now made available for reading, the consumer will be charged the actual consumption less the minimum charged or paid for the first month of inaccessibility subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer.

If the meter is made accessible ~~cease~~ subsequent to the disconnection for purposes of reading the meter and setting accounts or for reconnection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for period of inaccessibility of the meter up to the time of disconnection. If the consumer applies for reconnection, fees under clause 9 of Part III of the booklet will be collected before reconnection.

GOVERNMENT OF MADRAS.

Received.....1942

Registered.....1942.

Abstract.

Electricity - Bellary Electric Licence - Booklet of conditions, rates etc. - Part I - Condition 15 - Amendment - Approved.

S.2125

25th June 1942.

From the Commissioner, Bellary Electricity, S.O. No. 2-2087/41, dated the 8th June 1942.

Order:-

The following amendment to the booklet of conditions, rates etc. of the Bellary electric licence is approved.

Part I - Conditions of supply

Condition 15: For the existing second sub-paragraph of the condition substitute the following:-

When a consumer leaves his installation connected to the licensee's mains, but locks up the meter or otherwise makes it inaccessible for reading by the licensee, for the first month of such inaccessibility the consumer will be charged the monthly minimum. If in the second month the meter is accessible for reading, the consumer will be charged the actual consumption less the above minimum, but subject to the monthly minimum. If on the other hand the meter remains inaccessible in the second month also the consumer will be served with a 24 hours' notice (Section 20 Indian Electricity Act, 1910) to open his premises for the reading of the meter by the licensee at a fixed time and date; if the meter is then made available for reading, the consumer will be charged the actual consumption less the minimum charge or paid for the first month of inaccessibility, subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is then accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for re-connection, the service or the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for period of inaccessibility of the meter up to the time of disconnection. If the consumer

2. The Commissioner, Bellary Municipality is requested to send to the Government four copies of the printed correction sheet to the booklet as early as possible.

(BY ORDER OF THE SECRETARY TO THE GOVERNMENT)

~~XXXXXXXXXX~~

D.D. Warren,

SECRETARY TO GOVERNMENT.

To the Commissioner, Bellary Municipality through
the Chairman, Municipal Council.

To the Chief Electrical Inspector to Government.

To the Chief Engineer (Electricity)

R

/True Copy/

Forwarded by order.

Not printed.

10/27/6 2 drafts

DRAFT FOR APPROVAL.

C.E. 15,
P.W. Dept

Date. Initials.

SUBJECT:—

When received for fair copying ..	
When copied ..	
When examined..	
When signed ..	
When despatched.	

Electricity - Bellary Electric Licence -
Booklet of Conditions, Rates etc. -
Part I - Condition 15 - Amendment
Approved.

READ AGAIN .., dated .. 19 ..

" " .. " .. 19 ..

READ ALSO:—

No. 1100 ~~VI~~ From the ~~Commissioner~~, R. No. 2-9037/41 dated 8-6-1942
Bellary Municipality

" " " " 19 ..

" " " " 19 ..

Order Ms. No. 2,125, dated 25.6.42 19 ..
Resolution Rout.

The following amendment
to the Booklet of Conditions, Rates etc
of the Bellary electric licence is approved.

Part I - Conditions of supply
Condition 15 For the existing second
subparagraph of the condition substitute
the following

[H.E. the portion marked X on pp 1-2c]
2. The Commissioner, Bellary
Municipality is requested to send to the
Bark four copies of the printed correction
sheets to the booklet as early as possible

Appd. 18/6
Commissioner, Bellary
Municipality through C.E.
Mr. Ch. S. J. G.
The C.E. (E).

18/6 18/6
18/6

copy for file

2

17

2/1-01
/r.s

Note:- The amendment proposed
is in accordance with the latest
practice. It does not seem
necessary to retain the remarks of the
ch-E-2-G.

L.A.D. may see the
draft before issue.

18/6
18/6



19/6

LAD

P.W.D. No. 1100 VII/42-1
19-6-42

L.A. Dept.

May be perused and the file
returned to P.W.D. use.



Z.A. No. 16553-1A

22-6-42

JJR
20/6/42
20/6

on 21/6

P.W.D.

D/25/6

Pro

17

done
22/6

C.F. 32 (a).

Local Administration.

Department

Received

Registered

From (Name) Sri.A.Venkatadri
Choudary, B.A.,
Designation Commissioner,
Bellary Municipality,
Station Bellary.

To The Secretary to Government of
Madras,
The Public Works Department,
MADRAS.
Thro' Sri.Mullangi Neelappa,
Vice-Chairman, Municipal Council
Bellary.

Enclosures :

D.D. No. 9037/41

dated 18-5-1943.

194

Sir,

Sub:Electricity- Bellary Electric Licence - Book-
let of Conditions - Rates etc- Part 1 condition
No.15 Amendment- Fair copies of the Printed
correction Slips- submitted.

Ref:your G.O.No.Ms.2125 dated 25-6-1942.

I submit herewith four copies of the Printed Correction Slips to the
Booklet as desired in your above quoted reference.

V.C.R.m.19.5.exa: 16/5/43
enc:4 correction slips.

Commissioner.

Forwarded

Mullangi Neelappa

Vice Chairman.

19/5/43

maybe filed with
the go referred to
M. W. S.
M. W. S.
M. W. S.

Part 1 Conditions of supply.

Condition 15 :- For the existing second sub-paragraph of the condition, substitute the following :-

When a consumer leaves his installation connected to the licensee's mains, but locks up the meter or otherwise makes it inaccessible for reading by the licensee, for the first month of such inaccessibility the consumer will be charged the monthly minimum. If in the next month the meter is accessible for reading, the consumer will be charged the actual consumption less the above minimum, but subject to the monthly minimum. If on the other hand, the meter remains inaccessible in the second month also the consumer will be served with a 24 hours' notice (Section 20 Indian Electricity Act 1910) to open his premises for the reading of the meter by the licensee at a fixed time and date; if the meter is now made available for reading, the consumer will be charged the actual consumption less the minimum charged or paid for first month of inaccessibility subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is made accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for re-connection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for period of inaccessibility of the meter upto the time of disconnection. If the consumer applies for reconnection, fees under clause 9 of Part III of the booklet will be collected before reconnection

(G. O. No Ms. 2125 Dated 25-6-1942)

Part 1 Conditions of supply.

Condition 15 :- For the existing second sub-paragraph of the condition, substitute the following :-

When a consumer leaves his installation connected to the licensee's mains, but locks up the meter or otherwise makes it inaccessible for reading by the licensee, or the first month of such inaccessibility the consumer will be charged the monthly minimum. If in the next month the meter is accessible for reading, the consumer will be charged the actual consumption less the above minimum, but subject to the monthly minimum. If on the other hand, the meter remains inaccessible in the second month also the consumer will be served with a 24 hours' notice (Section 20 Indian Electricity Act 1910) to open his premises for the reading of the meter by the licensee at a fixed time and date; if the meter is now made available for reading, the consumer will be charged the actual consumption less the minimum charged or paid for first month of inaccessibility subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is made accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for re-connection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for period of inaccessibility of the meter upto the time of disconnection. If the consumer applies for reconnection, fees under clause 9 of Part III of the booklet will be collected before reconnection

(G. O. No Ms. 2125 Dated 25-6-1942)

Part 1 Conditions of supply.

Condition 15 :- For the existing second sub-paragraph of the condition, substitute the following :-

When a consumer leaves his installation connected to the licensee's mains, but locks up the meter or otherwise makes it inaccessible for reading by the licensee, for the first month of such inaccessibility the consumer will be charged the monthly minimum. If in the next month the meter is accessible for reading, the consumer will be charged the actual consumption less the above minimum, but subject to the monthly minimum. If on the other hand, the meter remains inaccessible in the second month also the consumer will be served with a 24 hours' notice (Section 20 Indian Electricity Act 1910) to open his premises for the reading of the meter by the licensee at a fixed time and date; if the meter is now made available for reading, the consumer will be charged the actual consumption less the minimum charged or paid for first month of inaccessibility subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is made accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for re-connection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for period of inaccessibility of the meter upto the time of disconnection. If the consumer applies for reconnection, fees under clause 9 of Part III of the booklet will be collected before reconnection

(G. O. No Ms. 2125 Dated 25-6-1942)

Part 1 Conditions of supply.

Condition 15 :- For the existing second sub-paragraph of the condition, substitute the following :-

When a consumer leaves his installation connected to the licensee's mains, but locks up the meter or otherwise makes it inaccessible for reading by the licensee, for the first month of such inaccessibility the consumer will be charged the monthly minimum. If in the next month the meter is accessible for reading, the consumer will be charged the actual consumption less the above minimum, but subject to the monthly minimum. If on the other hand, the meter remains inaccessible in the second month also the consumer will be served with a 24 hours' notice (Section 20 Indian Electricity Act 1910) to open his premises for the reading of the meter by the licensee at a fixed time and date; if the meter is now made available for reading, the consumer will be charged the actual consumption less the minimum charged or paid for first month of inaccessibility subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is made accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for re-connection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for period of inaccessibility of the meter upto the time of disconnection. If the consumer applies for reconnection, fees under clause 9 of Part III of the booklet will be collected before reconnection

(G. O. No Ms. 2125 Dated 25-6-1942)